

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Error Ref #
57	BRS	3	S84 and mark near5 pattern.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/09/09 07:20			S87
58	BRS	0	S84 and standard adj mark.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/09/09 07:25			S85
59	BRS	0	S84 and standard near5 mark.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/09/09 07:25			S88
60	BRS	0	S84 and reference near5 mark.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/09/09 07:26			S89
61	BRS	2	S84 and particular adj pattern.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/09/09 07:33			S90
62	BRS	10	S84 and hydrostatic adj bearing.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/09/09 07:34			S91

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error or Definiton	Error or Definiton	Ref #
63	BRS	9	S84 and stage near5 hydrostatic adj bearing.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/09/09 07:34				S92
64	BRS	616	Nakasuji-Mamoru.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/09/09 08:17				S84
65	BRS	0	S93 and deflector near5 vacuum adj chamber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/09/09 08:37				S94
66	BRS	3	S93 and coil near5 vacuum adj chamber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/09/09 08:37				S95
67	BRS	380	250/310 and magnetic near5 defect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/09/09 08:47				S93
68	BRS	0	250/310 and plural\$4 near5 standard adj mark	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/09/09 08:47				S96
69	BRS	19	("3875416").URPN.	USPAT	2005/09/09 09:09				S98

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error or Definition	Error	Ref #
70	BRS	50	electron adj beam and plural\$4 near5 reference adj mark	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/09/09 09:10				S99
71	BRS	5	S99 and line near5 spac\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/09/09 09:10				S100
72	BRS	0	("6798491").URPN.	USPAT	2005/09/09 09:17				S101
73	BRS	16	(US-20040183013-\$).did. or (US-4528451-\$ or US-4551599-\$ or US-5001349-\$ or US-5557105-\$ or US-6038018-\$ or US-6084238-\$ or US-6190579-\$ or US-6366342-\$ or US-6400090-\$ or US-6509957-\$ or US-6563321-\$ or US-6593152-\$ or US-6816238-\$ or US-4864228-\$ or US-6798491-\$).did.	US-PGPUB; USPAT	2005/09/09 09:24				S102
74	BRS	2	S102 and image adj compar\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/09/09 09:25				S103
75	BRS	5	S102 and image near5 compar\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/09/09 09:31				S104

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Error Ref #
76	BRS	2	S102 and reference near5 mark	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/09/09 09:31			S105
77	BRS	4	250/310 and plural\$4 near5 reference adj mark	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/09/09 09:35			S97
78	BRS	11	250/310 and plural\$4 near5 reference near5 mark	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/09/09 09:57			S106
79	BRS	234	250/310 and S/N	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/09/09 09:58			S107
80	BRS	0	S107 and S/N near beam adj diameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/09/09 09:58			S108
81	BRS	0	S84 and S/N near5 beam adj diameter.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/09/09 09:59			S110

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error or Definition	Error Ref #
82	BRS	0	S107 and S/N near5 beam adj size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/09/09 10:00			S111
83	BRS	2	S107 and S/N near5 blur	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/09/09 10:00			S112
84	BRS	2	S107 and S/N near5 beam adj diameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/09/09 10:43			S109
85	BRS	56	S107 and S/N and beam adj diameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/09/09 10:44			S113
86	BRS	1	S113 and select\$4 near5 beam adj diameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/09/09 10:44			S114
87	BRS	17	S113 and select\$4 near5 beam near5 diameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/09/09 10:45			S115